

New Models					
Model	Excavator Class	Weight	Shear Opening	Shear Depth	Reach
MSD 3R	3,600 lbs (Skid Steer)	525 lbs	9"	8.5"	3'-9"
MSD 7	6,000 lbs	950 lbs	10"	11"	4'-7"
MSD 7R	7,500 lbs	1,100 lbs	10"	11"	5'-0"
MSD 15	15,000 lbs	3,000 lbs	18"	20"	6'-6"
MSD 15R	20,000 lbs	3,500 lbs	18"	20"	8'-6"
MSD 30	27,000 lbs	4,500 lbs	22"	24"	7'-0"
MSD 30R	38,000 lbs	5,900 lbs	22"	24"	10'-4"
MSD 40	40,000 lbs	6,700 lbs	27"	29"	8'-6"
MSD 40R	50,000 lbs	8,700 lbs	27"	29"	12'-6"
MSD 50	50,000 lbs	10,500 lbs	32"	34"	9'-0"
MSD 50R	70,000 lbs	12,000 lbs	32"	34"	13'-4"
MSD 70	70,000 lbs	12,700 lbs	35"	37"	10'-4"
MSD 70R	96,000 lbs	14,900 lbs	35"	37"	14'-4"
MSD 100	90,000 lbs	14,900 lbs	38"	39"	11'-6"
MSD 100R	110,000 lbs	17,500 lbs	38"	39"	16'-0"
MSD 140	125,000 lbs	19,500 lbs	44"	45"	13'-10"
MSD 140R	150,000 lbs	24,500 lbs	44"	45"	18'-6"
MSD 160*	150,000 lbs	24,000 lbs	43"	46"	15'-0"
Call us for pricing on all models.					

* MSD 160 features a "stick" body with dual cylinders located on top of the

shear stick.

Old Models					
Model	Excavator Class	Weight	Shear Opening	Shear Depth	Reach
MSD 105	6,000 lbs	900 lbs	10"	11"	4'-7"
MSD 105R	7,500 lbs	1,100 lbs	10"	11"	5'-0"
MSD 108	15,000 lbs	2,500 lbs	14"	16"	6'-6"
MSD 108R	18,000 lbs	3,000 lbs	14"	16"	7'-0"
MSD 112	35,000 lbs	6,200 lbs	22"	23"	8'-4"
MSD 112R	45,000 lbs	7,900 lbs	22"	23"	11'-8"
MSD 116	46,000 lbs	8,900 lbs	26"	29"	11'-6"
MSD 116R	65,000 lbs	11,500 lbs	27"	29"	13'-4"
MSD 200**	200,000 lbs	34,000 lbs	51"	57"	17'-0"
MSD 220	85,000 lbs	14,000 lbs	33"	39"	12'-6"
MSD 220R	96,000 lbs	15,900 lbs	32"	38"	15'-8"
MSD 220IS	80,000 lbs	13,000 lbs	32"	38"	11'-6"
MSD 232	140,000 lbs	25,000 lbs	50"	56"	16'-0"
MSD 238	160,000 lbs	26,000 lbs	58"	60"	17'-0"
MSD 400**	400,000 lbs	58,000 lbs	64"	80"	25'-0"
MSD 2219**	150,000 lbs	24,000 lbs	43"	46"	15'-0"
Call us for pricing on all models.					

** Other special application shear models are available upon request. The 2219, 200, and 400 models are made to order for extra heavy cutting applications.

Appetite Guide						
Model	Model	I-Beam	Plate	Solid Round	Pipe	Concrete
	MSD 3 (R)	6"	3/16"	1"	4"	6"
105	MSD 7 (R)	7"	1/4"	1.25"	5"	8"
108	MSD 15 (R)	9"	3/8"	1.75"	8"	12"
	MSD 30 (R)	12"	1/2"	2"	10"	14"
112	MSD 40 (R)	15"	9/16"	2.5"	14"	18"
116	MSD 50 (R)	19"	5/8"	3"	18"	21"
220	MSD 70 (R)	22"	7/8"	3.5"	20"	23"
224	MSD 100 (R)	30"	1"	4"	22"	25"
228	MSD 140 (R)	32"	1 1/4"	5"	26"	29"
2219	MSD 160 (R)	36"	1 1/2"	6.5"	28"	28"
	MSD 200 (R)	40"	1 5/8"	7"	33"	31"
	MSD 400	52"	1 3/4"	9"	40"	42"

LaBounty MSD Mobile Shears are specifically designed for scrap processing, demolition work, and road and bridge reconstruction. Mobile Shears can cut a variety of materials including H- and I- beams, railcars, plate, tanks, pipe, round stock, wire, rebar and concrete, brick or block.

MSD Mobile Shears Feature four-way indexable blades, replaceable wear parts for easy maintenance, and a patented design offering maximum cutting strength and reach with minimal weight. MSDR Rotating Mobile Shears feature a 360° continuous rotation severe-duty turntable.

Built to last, LaBounty Mobile Shears are manufactured in the USA using abrasion resistant, high strength alloy steel for minimum weight and maximum durability and reach.